



WEIFANG TIANRUI CHEMICAL CO., LTD
799 YIXIN STREET ECONOMIC AND TECHNIQUE DISTRICT WEIFANG SHANDONG CHINA
Phone:0086-536-7367777 Fax: 0086-536-736786 E-mail:tianrui@tianruichem.com www.tianruichem.com



Typical Physical Properties of Kite CPE142C For PVC Clear products Applications

Physical Properties

	Values	Test Method
Chlorine content %	42±1	GB/T7139
Heat of fusion J/g≤	5.0	Differential thermal method
Sieve residue(0.9mm) ≤	2.0	HG2704/2010
Shore hardness shore A ≤	65	GB/T531
Tensile strength MPa ≥	6.0	GB/T528
Elongation at break % ≥	500	GB/T528
Volatile content % ≤	0.40	GB/T2914
Iron Number of Non-ferrous metal pcs/100g≤	20	National standard

Packaging: 25kgs bags and bulk bags