



KLJ GROUP

SAFETY DATA SHEET

KANATOL 3800 / TOTM

GHS HCS-2012 §1910.1200

Version 1 February 11, 2020

Read the entire SDS for a complete hazard assessment.

Section 1. Product and Company Identification

1.1 Product Identifiers:

Product Names: Kanatol-3800 / TOTM
Synonyms: TOTM, Tri Ethyl Hexyl 2 trimellitate, Trioctyl trimellitate, mellitic ester
Chemical Name: 1,2,4-Benzenetricarboxylic acid, tris(2-ethylhexyl) ester
CAS Number: 3319-31-1 **EINECS Number:** 222-020-0

Recommended use: Manufacture of plastics, paints, lubricants and perfume fixative.

Restrictions on use: Not intended for any other usage.

1.2 Manufacturer and Supplier/Distributor:

Manufacturer

KLJ Plasticizers Limited
Sr.no.98/1, Village Silli
Silvassa-396230 (D&NH)
India
Phone: (91) 260 6548914,15

E-mail: silvassa2002@kljindia.com
Web Site: www.kljgroup.com

Distributor

R.E. Carroll, Inc.
1570 North Olden Avenue
Trenton, NJ 08638-3204 USA
Phone: 609-695-6211
Fax: 609-695-0102
Email: johnb@recarroll.com
Web Site: www.recarroll.com

1.4 Emergency telephone number:

In India: (91) 260 6548914,15
In the US: For a transport accident or leak, fire or major spill, call CHEMTREC, (800) 424-9300.
For International CHEMTREC assistance, call 1-703-527-3887 (collect calls accepted).

Section 2. Hazards Identification

2.1 Globally Harmonized System (GHS) Hazard Classification:

OSHA Classification in accordance with 29 CFR 1910 (OSHA HCS): non-hazardous.
This SDS meets the requirements of GHS Revision 3, HCS 2012 (29 CFR 1910.1200).
GHS Classifications: Not classified as Hazardous

2.2 GHS Label elements including precautionary statements:

Hazard pictograms: None



KLJ GROUP

SAFETY DATA SHEET

KANATOL 3800 / TOTM
GHS HCS-2012 §1910.1200

Version 1 February 11, 2020

GHS Signal word: None

Hazard Statement: None.

Precautionary Statements:

Prevention: Do not breathe gas/mist/vapors/spray. Wear protective gloves, eye and skin protection
Avoid release to the environment.

Response:

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

If exposed or concerned, get medical advice/attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. If skin irritation occurs, get medical attention.

Storage: Store in accordance with local/regional/national/international regulation.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. See section 13 of this SDS for disposal instructions.

2.3 Other hazards which are not included in the classification criteria: None

May cause eye, skin or respiratory irritation. Ingestion may cause gastric disturbances.

Section 3. Composition/Information on Ingredients

Chemical Name	CAS No	Weight percent
Tri 2-ethylhexyl trimellitate,	3319-31-1	100

Section 4. First-Aid Measures

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

4.1 Inhalation: Move to fresh air. If breathing is difficult, give oxygen and continue to monitor. If not breathing, give artificial respiration. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. Call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt, or waistband.

4.2 Skin contact: Wash skin with plenty of soap and water. Remove contaminated clothing and shoes. If symptoms persist, seek medical attention. Wash contaminated clothing before use.



KLJ GROUP

SAFETY DATA SHEET

KANATOL 3800 / TOTM

GHS HCS-2012 §1910.1200

Version 1 February 11, 2020

4.3 Eye contact: Immediately flush eyes thoroughly with water for several minutes. Remove contact lenses after one to two minutes and continue flushing for several more minutes. If redness, itching or burning sensation develops, seek medical attention.

4.4 Ingestion: Give nothing by mouth. Call a poison center or physician. **DO NOT INDUCE VOMITING.** Never give anything by mouth to an unconscious person. Gently wipe or rinse the inside of the mouth with water. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt, or waistband.

4.5 Most important acute and delayed symptoms/effects:

Eye Contact: Excessive exposure may cause temporary redness and mild irritation to eyes.

Skin Contact: May cause redness, defating and cracking of skin.

Ingestion: May cause gastric disturbance.

Inhalation: May cause mild irritation.

Chronic health effects: Chronic exposure may cause respiratory irritation.

Relevant routes of exposure: Eye, skin, inhalation.

4.6 Indication of immediate medical attention and notes for physicians: Persons with pre-existing skin, eye, or respiratory conditions may be at an increased risk from the irritant properties of this material. Attending physician should treat exposed patients symptomatically

Protection of First Aiders: No action should be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Section 5. Fire-Fighting Measures

5.1 Flammable Properties:

Flash point: 263° C/ °F

Lower explosion limit: 0.3%

Upper explosion limit: 2.5%

Auto ignition temperature: 410 ° C

Thermal decomposition: When heated, hazardous gases may be released.

Fire and Explosion Hazard: Material will burn. Not a fire or explosion hazard.



KLJ GROUP

SAFETY DATA SHEET

KANATOL 3800 / TOTM

GHS HCS-2012 §1910.1200

Version 1 February 11, 2020

5.2

5.3 Extinguishing media:

Suitable extinguishing media: Combustible material. Use CO₂, dry chemical, or foam. Water can be used to cool and protect product.

Unsuitable extinguishing media: Forceful application of fire extinguishing agents or water spray may spread burning material. Material will float on water.

5.4 Special hazards arising from the chemical:

Unusual fire and explosion hazards: None known.

Hazardous Combustion Products: During a fire, smoke may contain the original material in addition to combustion products of varying composition, which may be toxic and/or irritating.

5.4 Special protective equipment and precautions for firefighters:

Fire Fighting Procedures: Keep personnel away. Isolate fire and deny unnecessary entry. Do not apply direct water stream. Use fine water spray or foam. Cool surroundings with water to localize fire zone.

Special Protective Equipment for Firefighters: No special protective equipment required. Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves) to protect against other burning material. If protective equipment is not available or not used, fight fire from a protected location or safe distance.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Avoid breathing mists. Avoid skin and eye contact. Evacuate personnel to safe areas. Spilled material may cause a slipping hazard. Use appropriate safety equipment. See Section 8 for information on personal protection equipment.

6.2 Environmental precautions and protective procedures: Prevent further leakage or spillage if safe to do so. Do not let product enter drains, sewers, waterways, and/or groundwater. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

6.3 Methods and material for containment and cleaning up: Contain spilled material if possible. Soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container. Eliminate all ignition sources including smoking, flares, sparks or flames in immediate area. All equipment used when handling the product should be grounded. Collect in suitable and properly labeled containers. See Section 13, Disposal Considerations, for additional information according to local / national regulations.



KLJ GROUP

SAFETY DATA SHEET

KANATOL 3800 / TOTM
GHS HCS-2012 §1910.1200

Version 1 February 11, 2020

Section 7. Handling and Storage

7.1 Precautions for safe handling: Avoid breathing process mists. Avoid contact with eyes, skin and clothing. Use with adequate ventilation. Do not eat, drink and/or smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage (including any incompatibilities): Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Store in accordance with good manufacturing practices. Storage containers should be grounded and bonded. Fixed storage containers, transfer containers and associated equipment should be grounded and bonded to prevent accumulation of static charge.

Section 8. Exposure Controls and Personal Protection

Consult with a Health and Safety Professional for specific selections.

8.1 Control parameter: Occupational exposure limits none listed

8.2 Appropriate engineering controls: Use adequate general or local exhaust ventilation to control airborne concentrations.

8.3 Personal protective equipment:

Eye protection: Use safety glasses with side shields.

Body protection: Use protective clothing as needed.

Hand protection: Contact should be minimized. Protective gloves are recommended

Respiratory protection: Concentration in air determines the level of respiratory protection needed. Wear respiratory protection if ventilation is inadequate. Use NIOSH certified respiratory equipment. (NIOSH certified organic vapor/particulate respirator as needed. Consult OSHA regulations for proper respiratory use (29 CFR 1910.134)

Other: Remove contaminated clothing and wash before reuse. For non-fire emergencies, respiratory protection may be necessary and wear appropriate protective clothing to avoid contact with material. Have eyewash station, safety showers, and water supply in work area.

Do not consume or store food in the work area. Wash hands before smoking or eating.

Section 9. Physical and Chemical Properties

Physical state: Liquid

Color: Clear to pale yellow

Odor: slightly irritating

Odor threshold: No Data Available



KLJ GROUP

SAFETY DATA SHEET

KANATOL 3800 / TOTM
GHS HCS-2012 §1910.1200

Version 1 February 11, 2020

pH: 7
Freezing Point: No Data Available
Boiling Point: 414°C/ 777°F
Flash Point (COC): 263°C / 505°F
Evaporation rate: No Data Available
Upper Explosive Limits (% air): 2.5%
Lower Explosive Limits (% air): 0.3 %
Flammability (solid, gas): Not Applicable
Vapor pressure: 0.16 mm Hg
Vapor density (air=1): 18.9
Density: 0.981-0.985 @ 20° C
Specific gravity: 0.989 @ 20° C
Auto-ignition temperature: 410°C/ 770°F
Decomposition temperature: Not Determined
Solubility in water: 0.39 mg/l
Partition coefficient, n-octanol/water: No data
Viscosity @ 40°C: No Data
Percent Volatile: 0.3% max

Section 10. Stability and Reactivity

- 10.1 Chemical stability:** Stable under normal temperature conditions and recommended use.
- 10.2 Possibility of hazardous reactions:** No hazardous reactions if stored and handled as prescribed.
- 10.3 Conditions to avoid:** Avoid heat, sparks, open flames and other ignition sources.
- 10.4 Incompatible materials:** Strong oxidizers.
- 10.5 Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Smoke, carbon monoxide, sulfur oxides, hydrogen sulfide, aldehydes, and other petroleum decomposition products in the case of incomplete combustion. Processing may release fumes and other decomposition products. Fumes can be irritating.
- 10.6 Hazardous Polymerization:** Will not polymerize.

Section 11. Toxicological Information

11.1 Information on the likely routes of exposure: Inhalation, ingestion, skin and eye contact, central nervous system.



KLJ GROUP

SAFETY DATA SHEET

KANATOL 3800 / TOTM
GHS HCS-2012 §1910.1200

Version 1 February 11, 2020

11.2 Information on toxicological effects:

Acute toxicity (similar material)

Oral LD50: > 5,000 mg/kg - Rat

Inhalation 4 h LC50: > 2.6 mg/l - Rat

Dermal LD50: > 2,000 mg/kg - Rat

Skin corrosion/irritation:

Causes mild skin irritation (Rabbit)

Classification: Not classified as irritant

Serious eye damage/irritation:

Slight or no eye irritation (Rabbit)

Classification: Not classified as irritant

Inhalation:

May cause mild respiratory tract irritation

Classification: Not classified

Respiratory sensitization:

Did not cause sensitization on laboratory animals, mouse

Classification: Does not cause respiratory sensitization

Skin sensitization:

Did not cause sensitization on laboratory animals, guinea pig

Classification: Does not cause skin sensitization

Ingestion

May cause gastric disturbances

Classification: Not toxic by ingestion.

Repeated dose toxicity

Inhalation Rat:

No toxicologically significant effects were found.

Mutagenicity:

Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Reproductive Toxicity:

No known significant effects or critical hazards.

Teratogenicity:

No known significant effects or critical hazards.

Specific target organ toxicity (STOT):

STOT-single exposure:

Classification: Not classified

STOT-repeated exposure:

Classification: Not classified

Aspiration Hazard:

Risk of chemical pneumonia after aspiration. May be fatal if swallowed and enters airways. (Based on physical data.)

Chronic effects

Prolonged inhalation may be harmful. May cause headaches and dizziness, is an anesthetic and may have other central nervous system effects.

Symptoms related to the physical, chemical and toxicological characteristics:

Adverse symptoms may include the following:



KLJ GROUP

SAFETY DATA SHEET

KANATOL 3800 / TOTM
GHS HCS-2012 §1910.1200

Version 1 February 11, 2020

Eye contact: Pain or irritation, watering, redness

Inhalation: irritation of respiratory tract, coughing and difficulty breathing.

Skin contact: Irritation, redness, defatting of skin

11.3 Carcinogenicity: Not considered a carcinogen by IARC, NTP, OSHA or ACGIH.

Section 12. Ecological Information

TOX DATA

Toxicity to fish

LC50 (96 h) > 100 mg/l, *Oryzias latipes* (OECD Guideline 203, semistatic)

Aquatic invertebrates

EC50 (48 h) > 180 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants

EC50 (72 h) > 100 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d) 55.6 mg/l, *Daphnia magna* (OECD Guideline 211, semistatic)

12.1 Mobility: Partly evaporates from water or soil surfaces, but a significant proportion will remain after one day. If product enters soil, may contaminate groundwater. Floats on water. Large volumes may penetrate soil and could contaminate groundwater.

12.2 Aquatic and terrestrial ecotoxicity: No aquatic toxic long-term. No data terrestrial toxicity data.

12.3 Persistence and degradability: poorly biodegradable

12.4 Bioaccumulative potential: Low bioaccumulation expected.

12.5 Other adverse effects: none

Section 13. Disposal Considerations

13.1 Disposal methods: Uncontaminated discarded product is not a hazardous waste under RCRA. Do not dump into any sewers, on the ground or into any body of water. All disposal practices must comply with all federal, state, and local laws and regulations. Offer surplus and non-recyclable material to a licensed disposal company. Contact a licensed professional waste disposal service for disposal.

13.2 Container disposal: Empty container retains product residue. Observe all hazard precautions. Do not distribute, make available, furnish or reuse empty container except for storage and shipment of original product.



KLJ GROUP

SAFETY DATA SHEET

KANATOL 3800 / TOTM
GHS HCS-2012 §1910.1200

Version 1 February 11, 2020

Remove all product residue. Puncture or otherwise destroy empty container and dispose of in a permitted facility.

Section 14. Transport Information

- 14.1 **UN number:** Not regulated
- 14.2 **UN proper shipping name:** Not regulated
- 14.3 **Transport hazard class:** Not regulated
- 14.4 **Packing group (if applicable):** Not regulated
- 14.5 **Marine Pollutant (Yes/No):** No
- 14.6 **Special precaution:** No information available

Section 15. Regulatory Information

U.S. Regulations

15.1 **USA TSCA:** Listed on the TSCA Inventory.

15.2 **SARA Section 311/312 Hazard Categories:**

Acute Hazard: No

Chronic Hazard: No

Fire Hazard: No

Reactive Hazard: No

Sudden Pressure Release: No

15.3 **CERCLA Hazardous Substance SARA Section 304 Release Reporting:**

Component(s)

Reportable Quantity

None

--



KLJ GROUP

SAFETY DATA SHEET

KANATOL 3800 / TOTM

GHS HCS-2012 §1910.1200

Version 1 February 11, 2020

15.4 SARA Section 302 Extremely Hazardous Substances:

<u>Component(s)/ CAS Number</u>	<u>Concentration</u>	<u>Min</u>	<u>Max</u>
None			

15.5 SARA Section 313 Toxic Chemicals:

<u>Component(s)/ CAS Number</u>	<u>Reporting Threshold</u>	<u>Concentration Min</u>	<u>Max</u>
None			

15.6 California Proposition 65: This product is not known to contain chemical(s) known to the State of California to cause cancer or reproductive harm.

15.7 Pennsylvania Worker and Community Right To Know Act: Hazardous Substances: NONE

15.8 New Jersey Worker and Community Right To Know Act: Hazardous Substances: NONE

15.9 International Regulations:

Canadian Regulations:

WHMIS Statement: This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the SDS contains all the information required by the *Controlled Products Regulations*. This product is classified as not controlled in accordance with the Canadian Controlled Products Regulations.

This product complies with RoHS (Restriction on Hazardous Substances).

Other requirements: Inventory Listing:

TSCA - <i>United States Toxic Substances Control Act Section 8(b) Inventory</i>	<i>LISTED</i>
DSL - <i>Canadian Domestic Substances List</i>	<i>LISTED</i>
NDSL - <i>Non-Domestic Substances List</i>	<i>NOT LISTED</i>
EINECS - <i>European Inventory of Existing Chemical Substances/European</i>	<i>LISTED</i>
ELINCS - <i>List of Notified Chemical Substances</i>	<i>NOT LISTED</i>
ENCS - <i>Japan Existing and New Chemical Substances</i>	<i>LISTED</i>
KECL - <i>Korean Existing and Evaluated Chemical Substances</i>	<i>LISTED</i>
AICS Australia - <i>Australian Inventory of Chemical Substances</i>	<i>LISTED</i>



KLJ GROUP

SAFETY DATA SHEET

KANATOL 3800 / TOTM

GHS HCS-2012 §1910.1200

Version 1 February 11, 2020

Section 16. Other Information

16.1 NFPA and HMIS Hazard Ratings:

We assigned NFPA and HMIS ratings to this product based on the hazards of its ingredient(s). Because the customer is most aware of the application of the product, the customer must ensure that the proper personal protective equipment (PPE) is provided consistent with information contained in the product SDS. This information is intended solely for the use of individuals trained in the particular hazard rating system.

Key: 0 = least, 1 = slight, 2 = moderate, 3 = high, 4 = extreme

NFPA (National Fire Protection Association) - Classification

Health	1 slight
Flammability	1 slight
Instability or Reactivity	0 minimal

HMIS® [Hazardous Materials Identification System (Paint & Coating)] - Classification

Health	1 slight
Flammability	1 slight
Reactivity	0 minimal

NFPA, HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS must be considered. This information is supplied solely for the use of individuals trained in the particular hazard rating system.

16.2 Revision information:

Date of this revision: 02/11/2020 (Version 1.0)
Revision summary: GHS/OSHA compliant SDS

16.3 Training advice: Provide adequate information, instruction and training for operators. Additional references static charges include American Petroleum Institute 2003 (Protection Against Ignitions Arising out of Static, Lightning and Stray Currents) or National Fire Protection Agency 77 (Recommended Practice on Static Electricity) or CENELEC CLC/TR 50404 (Electrostatics - Code of practice for the avoidance of hazards due to static electricity).

16.4 Key or legend to abbreviations and acronyms used in the safety data sheet:

ACGIH	American Conference of Governmental Industrial Hygienists
BEI	Biological Exposure Index
LC50	Median Lethal Concentration
LD50	Median Lethal Dose
NOAEL	No observed adverse effect level
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level



KLJ GROUP

SAFETY DATA SHEET

KANATOL 3800 / TOTM

GHS HCS-2012 §1910.1200

Version 1 February 11, 2020

OECD	Organization for Economic Co-operation and Development
OPPTS	Office of Prevention, Pesticides, and Toxic Substances
OEL	Occupational Exposure Limit
PEL	Permissible Exposure Limit
ppm	parts per million
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average
Action Level	An exposure value set by OSHA that is lower than the PEL that will trigger the need for activities such as exposure monitoring and medical surveillance.

Declare to reader:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SDS
