

# SAFETY DATA SHEET

Issue Date 01-Dec-2014 Revision Date 29-Oct-2019 Version 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

DISTRIBUTED BY: R.E. CARROLL, INC.

Product identifier 1570 NORTH OLDEN AVENUE EXT., EWING NJ 08638-3204

T: 609-695-6211/800-257-9365 F: 609-695-0102

Orders@RECarroll.com

Other means of identification

**Product Name** 

Product Code MAGOX® Super Premium

Synonyms Light Burned Magnesium Oxide, Caustic Calcined Magnesia, MgO, Magnesium Oxide,

MAGOX® Super Premium

Recommended use of the chemical and restrictions on use
Recommended Use Chemical intermediate.
Uses advised against No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Premier Magnesia, LLC, 75 Giles Place, Waynesville, NC 28786

Emergency telephone number

Company Phone Number 828-452-4784

**24 Hour Emergency Phone Number** Chemtrec 1-800-424-9300 **Emergency Telephone** Chemtrec 1-800-424-9300

#### 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

Product dust is classified as a "nuisance particulate, not otherwise regulated" as specified by ACGHI and OSHA. The excessive, long-term inhalation of mineral dusts may contribute to the development of industrial bronchitis, reduced breathing capacity, and may lead to the increased susceptibility to lung disease. This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

## Label elements

#### **Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Fine Powder Physical state Solid Odor Odorless

Causes mild irritation to the eyes

Low toxicity by skin contact.

Chronic overexposure by inhalation of airborne particulate may irritate upper respiratory system as well as the throat. Ingestion is an unlikely route of exposure. If ingested in large amounts it may cause irritation, nausea, vomiting, diarrhea, abdominal pain, black stool, pink urine, coma and possibly death.

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity 100% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Common name Magnesium Oxide # 1309-48-4.

Synonyms Light Burned Magnesium Oxide, Caustic Calcined Magnesia, MgO, Magnesium Oxide,

Chemical Name	CAS No.	Weight-%	Trade Secret
Magnesium Oxide	1309-48-4	100	

## 4. FIRST AID MEASURES

First aid measures

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. (Get medical attention

immediately if irritation persists.).

**Skin Contact** Wash skin with soap and water.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately.

Ingestion Not an expected route of exposure. Drink 1 or 2 glasses of water. Never give anything by

mouth to an unconscious person. Do not induce vomiting without medical advice.

Immediate medical attention is required.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

#### 5. FIRE-FIGHTING MEASURES

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Water reacts with magnesium oxide producing magnesium hydroxide and heat. Do not

allow water to get inside containers: reaction with water will cause product to swell, generate heat, and burst its container. If contact is unavoidable, use sufficient water to

safely absorb the heat that may be generated.

#### Specific hazards arising from the chemical

No information available.

**Explosion data** 

**Sensitivity to Mechanical Impact** None. **Sensitivity to Static Discharge** None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Carefully clean up and place material into a suitable container, being careful to avoid

creating excessive dust. If conditions warrant, clean up personnel should wear approved respiratory protection, gloves and goggles to prevent irritation from contact and/or

inhalation.

#### 7. HANDLING AND STORAGE

Precautions for safe handling

**Advice on safe handling**Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Avoid generation of dust.

Do not allow contact with water.

Incompatible materials Interhalogens, bromine pentafluoride, chlorine trifluoride. Contact with aluminum metal may

release hydrogen gas. Incandescent reaction wtih phosphorus pentachloride. Water will react with magnesium oxide to form magnesium hydroxide and release heat and steam.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Magnesium Oxide 1309-48-4	TWA: 10 mg/m³ inhalable fraction	TWA: 15 mg/m³ fume, total particulate (vacated) TWA: 10 mg/m³ fume	IDLH: 750 mg/m³ fume
		and total particulate	

Provide workers with NIOSH approved respirators in accordance with requirements of 29 CFR 1910. 134 for level of exposure incurred.

## **Appropriate engineering controls**

Engineering Controls Provide sufficient ventilation, in both volume and air flow patterns to control mist/dust

concentrations below allowable exposure limits. Showers. Eyewash stations.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. The use of eye protection is recommended.

**Skin and body protection** The use of eye protection, gloves and long sleeve clothing is recommended.

Respiratory protection Provide workers with NIOSH approved respirators in accordance with requirements of 29

CFR 1910. 134 for level of exposure incurred.

**General Hygiene Considerations** Wash hands thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

#### **MAGOX® SUPER PREMIUM**

Physical state Solid

Appearance Fine Powder Odor Odorless

Color White Odor threshold No information available

Property Values 10-11

Melting point/freezing point >2100 °C >3800 °F
Boiling point / boiling range
Flash point No information available
No information available

**Evaporation rate** Not Applicable

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific Gravity 3.56 Water solubility Slight <1%

No information available Solubility in other solvents Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available No information available Kinematic viscosity **Dynamic viscosity** No information available **Explosive properties** No information available No information available **Oxidizing properties** 

**Other Information** 

Softening point
Molecular weight
VOC Content (%)
Density
No information available
No information available
No information available
No information available

Bulk density 20-35 lb/ft3

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

## **Incompatible** materials

Interhalogens, bromine pentafluoride, chlorine trifluoride. Contact with aluminum metal may release hydrogen gas. Incandescent reaction with phosphorus pentachloride. Water will react with magnesium oxide to form magnesium hydroxide and release heat and steam.

#### **Hazardous Decomposition Products**

Heat and steam.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Product Information Magnesium Oxide # 1309-48-4

Inhalation Inhalation of fume (not MgO dust particulate) produced upon decomposition of magnesium

compounds can produce a febrile reaction and leukocytosis in humans.

**Eye contact** No data available.

**Skin Contact** No data available.

**Ingestion** No data available.

#### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.Reproductive toxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.Aspiration hazardNo information available.

#### Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 100% of the mixture consists of ingredient(s) of unknown toxicity

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

No data available on any adverse effects of this material on the environment

100% of the mixture consists of components(s) of unknown hazards to the aquatic environment

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Other adverse effects No information available

#### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes**This produce does not exhibit any characteristics of a hazardous waste. The product is

suitable for landfill disposal once the free water component is evaporated or absorbed by a suitable absorbent (earth). Follow all applicable federal, state and local regulations for safe

disposal.

Contaminated packaging Do not reuse container.

## 14. TRANSPORT INFORMATION

DOT

Not regulated by DOT as a hazardous material. No hazard class, label or placard required, no UN or NA number assigned.

## 15. REGULATORY INFORMATION

TSCA Listed

**International Inventories** 

DSL Listed
EINECS/ELINCS Listed
ENCS Listed
IECSC Listed
KECL Listed
PICCS Listed
AICS Listed

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## **US Federal Regulations**

# **SARA 313**

This product does not contain any substances reportable under Sections 302, 304 or 313. Sections 311 and 312 do apply. (Routine Reporting and Chemical Inventories)

#### SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **US State Regulations**

Revision Date 29-Oct-2019

California Proposition 65
Warning: This product can exposure you to lead, nickel and arsenic which are known to the State of California to cause cancer. For more information please see, www.P65Warnings.ca.gov.

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Magnesium Oxide	X	X	X
1309-48-4			

## U.S. EPA Label Information

**EPA Pesticide Registration Number** Not Applicable

# **16. OTHER INFORMATION**

**NFPA** Health hazards 1 Flammability 0 Instability 0 **Physical and Chemical** 

Properties -

HMIS Health hazards 0 Personal protection X Flammability 0 Physical hazards 0

01-Dec-2014 **Issue Date Revision Date** 29-Oct-2019

**Revision Note** 

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**