

REGD. OFFICE: BAREILLY ROAD, P.O. MODIPUR, RAMPUR INDIA Tel: +91-595-2357042 to 45 (4 Lines) Fax: +91-595-2357046 Email: info@swatimenthol.com URL: http://www.swatimenthol.com

SAFETY DATA SHEET TERPINYL ACETATE

DISTRIBUTED BY: R.E. CARROLL, INC. 1570 N. OLDEN AVENUE EXT. EWING, N.J. 08638-3204 USA T: 609-695-6211/800-257-9365 F: 609-695-0102 Orders@recarroll.com

Ver.: 1.5 Date: April 30, 2019

1 Identification of the substance/preparation company/undertaking	and	of	the
· Product details:			
· Trade name: Terpinyl Acetate			
· Application of the substance / the preparation: Flavors & Fr	agranc	es	
· Manufacturer/Supplier:			
Swati Menthol & Allied Chemicals Ltd. Opp. Akashwani, P.O.Modipur, Bareilly Road, Rampur (U.P.) 244 901 Telephone No: +91-595-2357042, 2357043, 2357044, 2357045 Telefax: +91-595- 2357046 e-mail: <u>info@swatimenthol.com</u>			
• Further information obtainable from: Department Health, Safety and	d Environ	ment	
Information in case of emergency: Swati Menthol & Allied Chemica Telephone No: +91-595-2357042, 2357043, 2357044, 2357045	als Ltd.,		

2 Hazards identification

Classification of the substance or mixture:

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319


EU DSD classification according to 67/548/EEC



REGD. OFFICE: BAREILLY ROAD, P.O. MODIPUR, RAMPUR INDIA

Tel: +91-595-2357042 to 45 (4 Lines) Fax: +91-595-2357046

Email: info@swatimenthol.com URL: http://www.swatimenthol.com



3 Composition/information on ingredients:

- · Chemical characterization:
- · CAS No. Description 8007-35-0



REGD. OFFICE: BAREILLY ROAD, P.O. MODIPUR, RAMPUR INDIA

Tel: +91-595-2357042 to 45 (4 Lines) Fax: +91-595-2357046

Email: info@swatimenthol.com URL: http://www.swatimenthol.com

Terpinyl acetate (Isomer mixture)

Chemical characterization:

		Weight	
Component	CAS #	%	
Alpha Terpinyl Acetate	98-55-5	>75%	
Gamma Terpinyl	586-81-		
Acetate	2	>14%	
	138-87-		
Beta Terpinyl Acetate	4	<5%	
Terpinen-1-ol &	562-74-		
Terpinen-4-ol	3	<5%	
	5989-		
(+)-p-Mentha-1,8-diene	27-5	< 1%	

Identification number(s)

· EC Number: 232-357-5

4 First-aid measures

· General information:

Immediately remove any clothing soiled by the product and wash before reuse.

After inhalation: Supply fresh air.

After skin contact:

- -Immediately rinse with water and soap.
- -Cover the irritated skin with an emollient.
- -If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for 15 minutes under running water. If symptoms persist consult a doctor.

• After swallowing: Rinse out mouth. Do not induce vomiting. Seek medical advice immediately and show the container or label.

5 Fire-fighting measures

• Flammability of the product: Combustible

•Auto-Ignition Temperature: Not available.

•Flash Points: CLOSED CUP: 85°C



REGD. OFFICE: BAREILLY ROAD, P.O. MODIPUR, RAMPUR INDIA

Tel: +91-595-2357042 to 45 (4 Lines) Fax: +91-595-2357046

Email: info@swatimenthol.com URL: http://www.swatimenthol.com

- Suitable extinguishing agents:

-SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam.

For safety reasons, unsuitable extinguishing agents: Do not use water jet.

• Special hazards caused by the substance, its products of combustion or resulting gases: - Formation of toxic gases is possible during heating or in case of fire.

· Protective equipment:

-Wear self-contained respiratory protective device. -Wear fully protective suit.

· Additional information:

-Prevent fire-fighting water from entering surface water or groundwater.

-Cool all affected containers (opened) with flooding quantities of water.

-Cool all affected containers (Unopened) with water spray

6 Accidental release measures

Person-related safety precautions:

Ensure adequate ventilationDo not breathe vapor/spray.Avoid contact with the eyes and skin.Wear protective clothing.

· Measures for environmental protection:

-Do not allow to penetrate the ground/soil. -Do not allow to enter sewers/ surface or ground water. -Keep contaminated washing water and dispose of appropriately.

• Measures for cleaning/collecting:

-Small Spill: Absorb with inert material/liquid-binding material (e.g. Rotisorb® Art.-Nr. 1710.1).

-Large Spill: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Combustible material. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk.

-Finish cleaning by spreading water on the contaminated surface and dispose of the material collected as per local laws and regulations. -Ensure adequate ventilation.

7 Handling and storage



REGD. OFFICE: BAREILLY ROAD, P.O. MODIPUR, RAMPUR INDIA

Tel: +91-595-2357042 to 45 (4 Lines) Fax: +91-595-2357046

Email: info@swatimenthol.com URL: http://www.swatimenthol.com

·Precautions:

Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Avoid contact with eyes. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents.

·Storage:

Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame). Sensitive to light. Store in light-resistant containers.

• Information about storage in one common storage facility: Store away from foodstuffs.

8 Exposure controls/personal protection

• **Engineering Controls:** Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

• Ingredients with limit values that require monitoring at the workplace: Not required.

• Additional information: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

· General protective and hygienic measures:

-Do not eat, drink or sniff while working.

-Keep away from foodstuffs, beverages and feed.

-Immediately remove all soiled and contaminated clothing.

-Wash hands before breaks and at the end of work.

-Do not inhale gases / fumes / aerosols.

-Avoid contact with eyes and skin.

· Respiratory protection:

-In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

-Use suitable respiratory protective device only when aerosol or mist is formed.

-Required when vapors/aerosols are generated.

· Personal protective equipment:

-Protection of hands:



Protective gloves



REGD. OFFICE: BAREILLY ROAD, P.O. MODIPUR, RAMPUR INDIA

Tel: +91-595-2357042 to 45 (4 Lines) Fax: +91-595-2357046

Email: info@swatimenthol.com URL: http://www.swatimenthol.com

· Material of gloves

-Nitrile, thickness: 0,4 mm

-The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

-The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

•Eye protection:



· Body protection: Protective work clothing

9 Physical and chemical properties General Information	
Boiling Point 760 mmHg.	: 225 ° C
Vapour Pressure (mmHg.) 300C	: <1
Vapour Density (Air = 1)	: 6.75
Solubility in water	: Practically Insoluble
Appearance	: Colorless
Odor	: Refreshing, sweet bergame
Odor Threshold	: N.A.
Specific Gravity (Water = 1)	: 0.9550 – 0.9600 @ 20 ° C
Percent Volatiles by volume	: 100%
Evaporation rate (Butyl Acetate = 1)	: N.A.
Melting Point	: N.A.
Freezing Point	: N.A.
Physical State	: Liquid
рН	: N.A.



REGD. OFFICE: BAREILLY ROAD, P.O. MODIPUR, RAMPUR INDIA

	95-2357042 to 45 (4 Lines) Fax: +91-595-2357046 swatimenthol.com URL: http://www.swatimenthol.com
Flammability	: N.A.
Partition coefficient: n-octanol/water	: N.A.
Auto Ignition Temperature	: N.A
Decomposition Temperature	: N.A
Viscosity	: N.A
Upper/Lower flammability or explosive Limits	: N.A
Flash Point logP (o/w)	: 85°C closed cup : 3.960

10 Stability and reactivity

Stability: This product is stable under recommended storage conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

• Materials to be avoided: Strong oxidizing agents.

· Conditions to be avoided: Prolonged or excessive heat and open flames/sparks.

· Dangerous reactions: No information available.

• **Dangerous decomposition products:** Liable to cause smoke & acrid fumes during combustion: carbon monoxide & carbon dioxide may be formed.

11 Toxicological information

Acute toxicity:

· LD50 values relevant for classification:

-Oral LD50 5075 mg/kg (Rat)

Primary irritant effect:

- On the skin: Slight irritations.
- On the eye: Irritating effect.
- · After inhalation: Slight irritations in respiratory tract.
- Sensitization: No data available
- · Ingestion: May cause discomfort

• Further information: The product should be handled with the care usual when dealing with chemicals.



REGD. OFFICE: BAREILLY ROAD, P.O. MODIPUR, RAMPUR INDIA

Tel: +91-595-2357042 to 45 (4 Lines) Fax: +91-595-2357046

Email: info@swatimenthol.com URL: http://www.swatimenthol.com

12 Ecological information

• Ecotoxicity: No data available.

• Aquatic toxicity: Quantitative data on the ecological effect of this product are not available.

· Remark:

-Do not allow to enter waters, waste water, or soil.

- -Harmful to aquatic environment.
- -Toxic to aquatic life with long-lasting effects.

Additional ecological information:

· General notes:

-Water hazard class 1 (German Regulation) (Self-assessment): hazardous for water -Do not allow product to reach ground water, water course or sewage system.

13 Disposal considerations

· Recommendation

The disposal is regionally differently regulated; therefore the kind of disposal is to be inquired at the responsible authorities.

This material and its container must be disposed of as hazardous waste.

- · Un-cleaned packaging:
- Recommendation: Disposal according to official regulations.

14 Transport information

-Identification: Not applicable.

-Shipping Name: ADR/RID: Not dangerous goods; IMDG: Not dangerous goods IATA: Not dangerous goods

-Special Provisions for Transport: Not applicable.

-Environmental hazards ADR/RID: no, IMDG Marine pollutant: no, IATA: no

15 Regulatory information

Classification and labeling have been performed according to OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

US federal regulations: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. **OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):** Not listed.



REGD. OFFICE: BAREILLY ROAD, P.O. MODIPUR, RAMPUR INDIA

Tel: +91-595-2357042 to 45 (4 Lines) Fax: +91-595-2357046

Email: info@swatimenthol.com URL: http://www.swatimenthol.com

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): Not regulated.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

RTECS: Not available

Information about limitation of use:

-Employment restrictions concerning juveniles must be observed.

-In dealing with chemicals the national laws must be observed.

Water hazard class: Water hazard class 1 (Self-assessment): hazardous for water.

HMIS® ratings: Health: 1, Flammability: 1, Physical hazard: 0.

16 Other information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Swati Menthol & Allied Chemicals Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product. Further, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing MSDS: Department: Health, Safety and Environment

· Contact Person: T.L Arora

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road RID: Regulations Concerning the International Transport of Dangerous Goods by Rail IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) P: Marine Pollutant GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent.

It is computer generated document and does not require any signature or stamp.