Version 2.0

Date of Issue: 3/13/2015 Date Printed: 3/13/2015

CELOGEN® AZ 150, 1901, 2500, 9370

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

CELOGEN® AZ 150

Distributed By: R.E. CARROLL, INC.

CELOGEN® AZ 1901

1570 North Olden Ave., Trenton NJ 08638-3204 USA T: 609-695-6211/800-257-9365 www.recarroll.com

CELOGEN® AZ 2500

CELOGEN® AZ 9370

Chemical name:

Azodicarbonamide

Use of substance/preparation:

Foaming Agent

Supplier:

CelChem LLC

19123 Hickory Bay Court Baton Rouge, LA 70817 USA

Emergency telephone number:

CHEMTREC: 800-424-9300 (For USA, and Canada)

CHEMTREC: 703-527-3887 (For all other Countries)

Contact:

US-225-444-5402:

Email:

customerservice@celchemllc.com

2. HAZARDS IDENTIFICATION

United States (US): According to OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

Combustible Dust

Respiratory sensitization - Category 1 - H334

Label Elements

Pictogram:



Signal Word:

Danger

Hazard Statement(s):

May form combustible dust concentrations in air.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Page **1** of **8**

Version 2.0

Date of Issue: 3/13/2015 Date Printed: 3/13/2015

CELOGEN® AZ 150, 1901, 2500, 9370

Precautionary statement(s):

Avoid breathing dust.

[In case of inadequate ventilation] wear respiratory protection.

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a doctor.

Dispose of contents/container in accordance with appropriate Federal, State, and local regulations. Avoid discharge to sewers and natural waters.

Other Hazards:

Avoid dispersion of dust in air to reduce potential for dust ignition/explosions.

3. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	CAS Number	Percent (w/w)	Substance Classification
Azodicarbonamide	123-77-3	100	Combustible Dust Respiratory sensitization – Category 1 – H334

4. FIRST AID MEASURES

Swallowing

Do not induce vomiting. Rinse mouth and then drink water. Obtain medical attention.

Inhalation

Remove to fresh air. Obtain medical attention.

Skin contact

Remove contaminated clothing. Wash thoroughly with warm water using a mild soap. Obtain medical attention if irritation persists.

Eye contact

Immediately flush eyes with water and continue washing for several minutes. Obtain medical attention if irritation persists.

5. FIREFIGHTING MEASURES

Special firefighting procedures

Evacuate all personnel from danger area.

Avoid dusting when handling and avoid all possible sources of ignition (spark or flame).

Use water spray to cool fire-exposed containers and structures.

Extinguishing media

Suitable: - water spray

- dry chemical

Hazardous combustion products are generated

Toxic fumes.

Ammonia.

Oxides of nitrogen.

Oxides of carbon.

Traces of incompletely burned carbon products.

Page **2** of **8**

Version 2.0

Date of Issue: 3/13/2015 Date Printed: 3/13/2015

CELOGEN® AZ 150, 1901, 2500, 9370

Special protective equipment for firefighters

Self-contained breathing apparatus.

Full protective clothing.

Unusual fire and explosion hazards

Heated containers may explode. Once ignited, this product will burn vigorously and with acceleration.

NFPA Classification:

Health: 2	Flammability: 3	Reactivity: 1	Special provisions: No data available.
-----------	-----------------	---------------	--

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid all contact.

Environmental precautions

Avoid discharge to sewers or natural waters.

Methods for cleaning up

Avoid dispersion of dust.

Eliminate sources of ignition.

Collect in a suitable container for disposal.

Dispose of waste material in compliance with all federal, state, and local regulations.

Sweep up using non-sparking equipment.

7. HANDLING AND STORAGE

HANDLING

Handling precautions

Avoid dispersion of dust to reduce fire and explosion potential. Take precautionary measures against static discharges.

STORAGE

Storage requirements

Keep away from heat, sparks and flame. Store in a cool, dry and well-ventilated area. Keep container tightly closed.

Further information on storage

Maximum Storage Temperature: 80° C (176° F)

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT VALUES

Component	Country	Туре	Value	Remark
Azodicarbonamide	United Kingdom	OELV	1 mg/m ³	8 hour TWA
	United Kingdom	OELV	3 mg/m ³	15 minute exposure

9. PHYSICAL AND CHEMICAL PROPERTIES

age **3** of **8**

Version 2.0

Date of Issue: 3/13/2015 Date Printed: 3/13/2015

CELOGEN® AZ 150, 1901, 2500, 9370

APPEARANCE

Physical state Powder

Color Orange-yellow

Odor Characteristic

Odor threshold Not available

pH Not available

Melting Point 190 - 220 °C

374 - 428 °F Decomposes

Freezing Point Not applicable
Initial Boiling Point/Boiling Range Not applicable
Flash Point Decomposes

Flammability Limits Upper: Not available

Vapor Pressure Not applicable
Vapor Density Not applicable

Density 1.66 g/cm³ at 25 °C
Solubility in water Slightly soluble, Decomposes in alkaline solution

Solubility in organic solvents

Partitioning Coefficient

Auto ignition Temperature

Decomposition Temperature

190 - 220 °C

374 - 428 °F

Decomposes without ignition. Bulk quantities may self-ignite if heated

Viscosity Not applicable

10. STABILITY AND REACTIVITY

Reactivity

Incompatible materials:

Metallic compounds.

Acids.

Bases.

Strong oxidizing agents.

Hazardous reactions:

Keep away from heat.

Chemical Stability:

This product is stable only when stored at, or below, the recommended maximum temperature.

Other

Hazardous combustion products:

Toxic fumes.

Ammonia.

Oxides of nitrogen.
Oxides of carbon.

Page **4** of **8**

Version 2.0

Date of Issue: 3/13/2015 Date Printed: 3/13/2015

CELOGEN® AZ 150, 1901, 2500, 9370

Traces of incompletely burned carbon products.

Hazardous polymerization:

Will not occur.

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Azodicarbonamide	123-77-3	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 0.52 mg/L (highest attainable concentration)
Substances	CAS Number	Skin Corrosion / Irritati	on	
Azodicarbonamide	123-77-3	Not irritating to skin in r		
Substances	CAS Number	Eye damage/irritation	_	
Azodicarbonamide	123-77-3	Non-irritating to rabbit's	s eye	- · - ·
Substance	CAS Number	Shin Sanatainatian		
Substances	CAS Number	Skin Sensitization		
Azodicarbonamide	123-77-3	I NOT Sensitizing in labora	tory animals (guinea pig, mo	ouse).
Substances	CAS Number	Respiratory Sensitization	<u>on</u>	
Azodicarbonamide	123-77-3	May cause sensitization	by inhalation.	
Substances	CAS Number	Mutagenic Effects		
Azodicarbonamide	123-77-3		s showed positive results, in	vivo tests were negative.
Substances	CAS Number	Carcinogenic Effects		<u>-</u>
Azodicarbonamide	123-77-3		nic effects in animal experim	nents.
Substances	CAS Number	Reproductive toxicity		
Azodicarbonamide	123-77-3	Animal testing did not s in animal experiments.	how any effects on fertility.	Did not show teratogenic effects
Substances	CAS Number	STOT - single exposure		
Azodicarbonamide	123-77-3		bserved in animal studies at	concentrations requiring
Substances	CAS Number	STOT - repeated exposu	ıre	
Azodicarbonamide	123-77-3		bserved in animal studies at	concentrations requiring
	_L	Ciassification.		
Substances	CAS Number	Aspiration hazard		
Azodicarbonamide	123-77-3	Not applicable		

Page **5** of **8**

THE OPINIONS EXPRESSED HEREIN ARE THOSE OF QUALIFIED EXPERTS WITHIN CELCHEM LLC. WE BELIEVE THAT THE INFORMATION CONTAINED HEREIN IS CURRENT AS OF THE DATE OF THIS SAFETY DATA SHEET. SINCE THE USE OF THIS INFORMATION AND OF THESE OPINIONS AND THE CONDITIONS OF USE OF THIS PRODUCT ARE NOT WITHIN THE CONTROL OF CELCHEM LLC, IT IS THE USER'S OBLIGATION TO DETERMINE THE CONDITIONS OF SAFE USE OF THE PRODUCTS

Version 2.0

Date of Issue: 3/13/2015 Date Printed: 3/13/2015

CELOGEN® AZ 150, 1901, 2500, 9370

12 ECOLOGICAL INFORMATION

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Azodicarbonamide	123-77-3	No information available	EC50 - Fathead minnow (Pimephales promelas) Result: > 50 mg/l Exposure time: 48 h	No information available	EC50 - Water flea (Daphnia magna) Result: 11 mg/l Exposure time: 48 h

13 DISPOSAL CONSIDERATIONS

General:

Dispose of in accordance with appropriate Federal, State, and local

regulations. Avoid discharge to sewers and natural waters.

Refer to Section 8: Exposure Controls/Personal Protection

14 TRANSPORT INFORMATION

DOT Classification

This product is not regulated by DOT. Under certain circumstances, the material may be shipped as a hazardous material according to DOT regulations to retain the labeling and markings required for IMDG export.

IMDG Classification

Proper shipping name:

Azodicarbonamide

Class:

4.1

UN ID #:

UN 3242

Packing group:

Ш

ICAO Classification

FORBIDDEN BY AIR

15. REGULATORY INFORMATION

Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification of the National Response Center of release of quantities of hazardous substances equal to or greater than the reportable quantities (RQ's) in 40CFR302.4.

Components present in this product at a level which could require reporting under the statute are:

**** NONE ****

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40CFR372 (for SARA 313). This information must be included in MSDS's that are copied and distributed for this material.

Components present in this product at a level which could require reporting under the statute are:

**** NONE ****

Massachusetts Right-To-Know Substance List (MSL)--Hazardous Substances and Extraordinarily Hazardous Substances on the

Page 6 of 8

Version 2.0

Date of Issue: 3/13/2015 Date Printed: 3/13/2015

CELOGEN® AZ 150, 1901, 2500, 9370

MSL must be identified when present in products.

Components present in this product at a level which could require reporting under the statute are:

**** NONE ****

Pennsylvania Right-To-Know Hazardous Substance List--Hazardous Substances and Special Hazardous Substances on the list must be identified when present in products.

Components present in this product at a level which could require reporting under the statute are:

Chemical name

CAS#

Max weight %

**** NONE ****

New Jersey Worker and Community Right-To-Know Act (Labeling Requirements)

Chemical name

CAS#

New Jersey TS Number

**** NONE ****

EPA Hazard Categories (SARA 311, 312):

Immediate Health Hazard

California Proposition 65

**** NONE ****

CHEMICAL INVENTORY

Canada:

This product is on the DSL.

Europe:

The ingredients of this mixture are on the EINECS inventory.

United States:

This product is on the TSCA inventory. This product is on the AICS inventory.

Australia:

This product is on the IECSC Inventory.

China: Japan:

This product is on the ENCS inventory.

Korea:

This product is listed on the Existing Chemicals List (ECL).

Philippines:

This product is on the PICCS.

Food contact

Azodicarbonamide:

21CFR172.806 Azodicarbonamide as an aging and bleaching ingredient in flour in an amount not to exceed 45 ppm. As a dough conditioner in bread in a total amount not to exceed 45 ppm of the flour used.

21CFR177.1210 Closures with sealing gaskets for food containers additives not to exceed 2 wt. % of gasket composition. As a blowing agent in the manufacture of polyethylene complying with 21CFR177.1520 at a level not to exceed 5 wt. % of the finished polyethylene.

21CFR177.2600 Rubber Articles Intended for repeated uses not to exceed 5 wt. % of composition.

.....

21CFR178.3010 Adjuvant substances used in the manufacture of foamed plastics. As a blowing agents in the manufacture of polyethylene complying with 21CFR177.1520 at a level not to exceed 5 wt. % of the finished polyethylene.

age 7 of 8

Version 2.0

Date of Issue: 3/13/2015 Date Printed: 3/13/2015

CELOGEN® AZ 150, 1901, 2500, 9370

16. OTHER INFORMATION

HMIS RATING

Health: 2	Flammability: 3	Reactivity: 1	PPI: X
STP	Standard temperature and pressi	ure	
w/w	Weight/weight		
0 (HMIS)	No hazard		
1 (HMIS)	Slight hazard		
2 (HMIS)	Moderate hazard		
3 (HMIS)	Serious hazard		
4 (HMIS)	Severe hazard		
X (HMIS)	Personal protection rating to be s	supplied by user depending	on use conditions

Date last modified: April 8, 2015

Page 8 of 8