HYDROBRITE® 1000 PO WHITE MINERAL OIL

000003009598

00003009598		
/ersion 1.2	Revision Date 2023/03/13	Print Date 2023/03/13
ECTION 1. IDENTIFICATION		
Product name	HYDROBRITE [®] 1000 PO WHITE	MINERAL OIL
Synonyms	Product code: 90A	
Manufacturer or supplier's de Telephone	tails Sonneborn, LLC 100 Sonneborn Lane Petrolia PA 16050 United States Security (24 hour): (724) 756-2210)
Emergency telephone numbe	r	
Emergency telephone : number	CHEMTREC: 1-800-424-9300; CC Poison Control Centre: Consult loca emergency number(s).	
Recommended use of the che	mical and restrictions on use	
Recommended use	Highly refined mineral oil is typicall in a variety of applications includin food and general industrial.	, .
Prepared by	Product Safety: +1-724-756-2210	
ECTION 2. HAZARDS IDENTIFIC	ATION	
CUS aloosification in accorda	nee with the OSUA Hererd Commu	inication Standard (20 CE
1910.1200)	nce with the OSHA Hazard Commu	nication Stanuaru (29 CF
Not a hazardous substance or r	nixture.	

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	Product code: 90A





000003009598

Version 1.2 Revision Date 2023/03/13 Print Date 2023/03/13	Version 1.2	Revision Date 2023/03/13	Print Date 2023/03/13
--	-------------	--------------------------	-----------------------

CAS-No. : 8042-47-5

Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	100

SECTION 4. FIRST AID MEASURES If inhaled : Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice. In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.

In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	Do NOT use water jet.
Specific hazards during firefighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion products	:	Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface



HYDROBRITE® 1000 PO WHITE MINERAL OIL

000003009598

Version 1.2		Revision Date 2023/03/13	Print Date 2023/03/13
		water or the ground water system.	
Special protective equipment : for firefighters	:	Wear self-contained breathing apparatune necessary.	us for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions :	Do not allow uncontrolled discharge of product into the environment.
Methods and materials for : containment and cleaning up	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use. Do not handle at temperatures >40°C, unless wearing appropriate protective equipment.
Conditions for safe storage	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.



HYDROBRITE[®] 1000 PO WHITE MINERAL OIL

000003009598

Version 1.2

Revision Date 2023/03/13

Print Date 2023/03/13

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

Engineering measures

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Filter type	:	organic vapour filter
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton [®] .
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Protective measures	:	Wash contaminated clothing before re-use.
Hygiene measures	:	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.



HYDROBRITE® 1000 PO WHITE MINERAL OIL

000003009598

000003009390			
Version 1.2		Revision Date 2023/03/13	Print Date 2023/03/13
Appearance	:	viscous liquid	
Colour	:	water-white	
Odour	:	Odourless or mild petroleum oil like.	
Odour Threshold	:	No data available	
рН	:	No data available	
Pour point	:	not determined	
Boiling point/boiling range	:	> 230 °C (> 446 °F)	
Flash point	:	> 93.4 °C (> 200.1 °F) Method: Pensky-Martens closed cup	
Fire Point	:	No data available	
Evaporation rate	:	No data available	
Flammability	:	Remarks: No data available	
Auto-Ignition Temperature	:	617 - 671 °F / 325 - 355 °C	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	< 0.1 kPa (68 °F / 20 °C)	
Relative vapour density	:	No data available	
Relative density	:	< 1	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	log Pow: > 6	
Viscosity Viscosity, kinematic	:	> 20.5 cSt (104 °F / 40 °C)	
		> 100 sus (100 °F / 38 °C)	
Explosive properties	:	Do not pressurize, cut, weld, braze, so expose containers to heat or sources of	
Molecular weight	:	212 - 702 g/mol	



HYDROBRITE® 1000 PO WHITE MINERAL OIL

000003009598

Version 1.2		Revision Date 2023/03/13	Print Date 2023/03/13
Possibility of hazardous reactions	:	Hazardous polymerisation does not Stable under normal conditions.	occur.
Conditions to avoid	:	Heat, flames and sparks.	
Incompatible materials	:	Reactive with oxidising agents.	
Hazardous decomposition products	:	Under normal conditions of storage decomposition products should not	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of Eye contact Ingestion Inhalation Skin contact Acute toxicity	fexposure			
Product:				
Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg,			
Acute inhalation toxicity :	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist			
Acute dermal toxicity :	LD50 (Rabbit): > 2,000 mg/kg,			
Skin corrosion/irritation				
<u>Product:</u> Remarks :	Non-irritating to the skin. Heated material can cause thermal burns.			
Serious eye damage/eye irritation				
Product: Remarks :	Non-irritating to the eyes. Heated material can cause thermal burns.			
Respiratory or skin sensitisation				
Product: Exposure routes: Skin contact Species: Guinea pig Result: Not a skin sensitizer. Remarks: No evidence of skin sensitization.				

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: Not considered to be a germ cell mutagen.



HYDROBRITE® 1000 PO WHITE MINERAL OIL

000003009598

ersion 1.2		Revision Date 2023/03/13	Print Date 2023/03/13
Carcinogenicity			
Product:			
Remarks	:	The mineral oils in the product co 346). Not considered to be carcin	
Reproductive toxicity			
Product:			
Effects on fertility	:	Remarks: Not considered to be to system.	oxic to the reproductive
Effects on foetal development	:	Remarks: Not considered to be te	eratogenic.
STOT - single exposure			
Product:			
Remarks	:	Acute exposure studies show no	evidence of systemic toxicity.
STOT - repeated exposure <u>Product:</u> Remarks	:	Repeat dose toxicity data shows toxicity.	no evidence of target organ
Aspiration toxicity			
Product:			
Not expected to be an aspirat	ion	hazard.	
CTION 12. ECOLOGICAL INF	ORI	IATION	
Ecotoxicity			
Product:			
Toxicity to fish	:	LL50 (Fish): > 100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia (water flea)): > 10 Exposure time: 48 h	00 mg/l
Toxicity to algae/aquatic	:	Remarks: No data available	

Toxicity to microorganisms : Remarks: No data available

Persistence and degradability

Product:

plants

Biodegradability	:	Result: Inherently biodegradable.
------------------	---	-----------------------------------



HYDROBRITE[®] 1000 PO WHITE MINERAL OIL

000003009598

Version 1.2

Revision Date 2023/03/13

Print Date 2023/03/13

SONNEDORN AN HE SINCLAIR BRAND

Bioaccumulative potential	
No data available	
Mobility in soil	
No data available	
Other adverse effects	
No data available	
SECTION 13. DISPOSAL CONSIDERATIONS	

Disposal methods

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.
Contaminated packaging	:	Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

49 CFR

Not regulated as a dangerous good

Remarks

: Freight Description Road: 65 Petroleum Oil, N.O.I.B.N.

SECTION 15. REGULATORY INFORMATION

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

HYDROBRITE® 1000 PO WHITE MINERAL OIL

sion 1.2		Revision Date 2023/03/13	Print Date 2023/03/13	
SARA 313	:	This material does not contain any chemical components wit known CAS numbers that exceed the threshold (De Minimis reporting levels established by SARA Title III, Section 313.		
Clean Water Act Not applicable				
US State Regulations				
Massachusetts Right To White mineral of		bleum):	8042-47-5	
Pennsylvania Right To I Product does n		ain any listed chemicals		
New Jersey Right To Kr Product does n		ain any listed chemicals		
New York City Hazardou Product does n		atances ain any listed chemicals		
California Prop. 65		This product does not contain any of California to cause cancer, birth reproductive harm. For more infor www.P65Warnings.ca.gov.	n defects, or any other	
The components of this	produ	ct are reported in the following in	ventories:	
TSCA	:	All chemical substances in this pro TSCA Inventory or are in complian exemption.		
AIIC	:	On the inventory, or in compliance	with the inventory	
DSL	:	On the inventory, or in compliance	with the inventory	
ENCS	:	On the inventory, or in compliance	with the inventory	
KECI	:	On the inventory, or in compliance	with the inventory	
PICCS	:	On the inventory, or in compliance	with the inventory	
IECSC	:	On the inventory, or in compliance	with the inventory	
NZIoC	:	On the inventory, or in compliance	with the inventory	
EINECS	:	On the inventory, or in compliance	with the inventory	
TCSI	:	On the inventory, or in compliance	with the inventory	

SECTION 16. OTHER INFORMATION


Further information




HYDROBRITE[®] 1000 PO WHITE MINERAL OIL


000003009598

Version 1.2





HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH NIOSH REL		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits
OSHA P0		USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA		8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response. Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect

HYDROBRITE[®] 1000 PO WHITE MINERAL OIL

000003009598

Version 1.2

Revision Date 2023/03/13

Print Date 2023/03/13

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Prepared by	:	Product Safety: +1-724-756-2210
Revision Date Date format	-	2023/03/13 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN



Revision Date 2