SUNSPRAY 6N

000003010059

Version 2.3

Revision Date 2023/03/29



Print Date 2023/03/29

SECTION 1. IDENTIFICATION

	: SUNSPRAY 6N : Product code: 100763			
Manufacturer or supplier's de	tails			
	HF Sinclair Refining and Marketing LLC 1700 South Union Avenue Tulsa OK 74107 United States : Customer Service: (800) 456-4786			
i ciopriorio				
Emergency telephone numbe	r			
Emergency telephone num- : ber	CHEMTREC: 1-800-424-9300; CCN: 999116 Poison Control Centre: Consult local telephone directory for emergency number(s).			
Recommended use of the chemical and restrictions on use				

: Prepared by Product Safety :

SECTION 2. HAZARDS IDENTIFICATION

Recommended use

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)				
Aspiration hazard :	Category 1			
GHS label elements				
Hazard pictograms :				
Signal word :	Danger			
Hazard statements :	May be fatal if swallowed and enters airways.			
Precautionary statements :	Response: IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Do NOT induce vomiting. Storage: Store locked up.			
	Disposal: Dispose of contents/ container to an approved waste disposal plant.			
Other hazards None known.				

Pesticidal spray oil (only to be used as indicated on the label)

SUNSPRAY 6N

000003010059



Version 2.3	Revision Date 2023/03/29	Print Date 2023/03/29	
	or equal to 0.1% is identified as probable, possible or con firmed human carcinogen by IARC.		
OSHA	No component of this product present at levels greater than o equal to 0.1% is on OSHA's list of regulated carcinogens.		
NTP	No component of this product present at levels greater than equal to 0.1% is identified as a known or anticipated carcino by NTP.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Substance name	-	Substance Product code: 100763
CAS-No.	:	64742-56-9

Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), solvent- dewaxed light paraffinic; Baseoil — unspecified	64742-56-9	100

Actual concentration is withheld as a trade secret,

EPA Registration Number: 86330-5

"Active Ingredient: Mineral Oil" stated on label required by USEPA-FIFRA in Revised Registration Eligibility Decision (RED) for Aliphatic Solvents. The specific CAS # and ingredient names listed above are the mineral oil(s) in this product.

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.

SUNSPRAY 6N

000003010059



Notes to physician	: Treat symptomatically.	
		Fillit Date 2023/03/29
Version 2.3	Revision Date 2023/03/29	Print Date 2023/03/29

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	Do NOT use water jet.
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions :	Do not allow uncontrolled discharge of product into the envi- ronment.
Methods and materials for : containment and cleaning up	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling Conditions for safe storage	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use. Do not handle at temperatures >40°C, unless wearing appro- priate protective equipment. Store in original container.
-		

SUNSPRAY 6N

000003010059

Version 2.3

Revision Date 2023/03/29

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Distillates (petroleum), solvent- dewaxed light paraffinic; Baseoil — unspecified	64742-56-9	TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Engineering measures	should be su	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.		
Personal protective equipment	nt			
	ventilation is that exposure Respirator se exposure leve working limits	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.		
Filter type Hand protection		organic vapour filter		
Material	: neoprene, nit	rile, polyvinyl alc	ohol (PVA), Viton [®] .	
Remarks	approved sta	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.		
Eye protection	: Wear face-sh problems.	Wear face-shield and protective suit for abnormal processing		
	: Choose body tration and ar cific work-pla	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.		
Protective measures Hygiene measures	: Remove and ing the inside	Wash contaminated clothing before re-use. Remove and wash contaminated clothing and gloves, includ- ing the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	slight
Odour Threshold	:	No data available



Print Date 2023/03/29

SUNSPRAY 6N

000003010059



000003010059			
Version 2.3		Revision Date 2023/03/29	Print Date 2023/03/29
рН	:	Not applicable	
Pour point	:	-15 °C (5 °F)	
Boiling point/boiling range	:	264 - 436 °C (507 - 817 °F)	
Flash point	:	172 °C (342 °F) Method: Cleveland open cup	
Fire Point	:	No data available	
Evaporation rate	:	No data available	
Flammability	:	Remarks: No data available	
Auto-Ignition Temperature	:	649 °F / 343 °C	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	0.85 (61 °F / 16 °C)	
Density	:	No data available	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	log Pow: 2 - 6	
Viscosity Viscosity, kinematic	:	10 - 12 cSt (104 °F / 40 °C)	
Explosive properties	:	Do not pressurize, cut, weld, braze, so pose containers to heat or sources of i	
Molecular weight	:	311 g/mol	

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	No dangerous reaction known under conditions of normal use. Stable under normal conditions. Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	Heat, flames and sparks. Reactive with oxidising agents. Under normal conditions of storage and use, hazardous de- composition products should not be produced.

SUNSPRAY 6N

000003010059

Version 2.3

HOLLY FRONTIER SPECIALTY PRODUCTS AN HF SINCLAIR BRAND

Revision Date 2023/03/29

Print Date 2023/03/29

Thermal decomposition products may include the following materials: carbon dioxide, carbon monoxide, and other asphyxiants.

SECTION 11. TOXICOLOGICAL INFORMATION

	_	
Information on likely routes	of	exposure
Eye contact Ingestion Inhalation Skin contact		
Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available
Components:		
	ent	-dewaxed light paraffinic; Baseoil — unspecified:
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg,
Acute inhalation toxicity	:	LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,
Skin corrosion/irritation		
Product:		
Remarks	:	Non-irritating to the skin. Heated material can cause thermal burns.
Serious eye damage/eye irri	tati	ion
Product:		
Remarks	:	Non-irritating to the eyes. Heated material can cause thermal burns.
Respiratory or skin sensitis	atio	on
Product: Exposure routes: Skin co Species: Guinea pig Result: Not a skin sensiti: Remarks: No evidence of	zer.	

SUNSPRAY 6N

000003010059

003010059			
sion 2.3		Revision Date 2023/03/29	Print Date 2023/03/2
Germ cell mutagenicity			
Product:			
Genotoxicity in vitro	:	Remarks: Not considered to be a g	germ cell mutagen.
Carcinogenicity			
Product:			
Remarks	:	The mineral oils in the product con 346). Not considered to be carcino	
Reproductive toxicity			
Product:			
Effects on fertility	:	Remarks: Not considered to be tox tem.	tic to the reproductive sys
Effects on foetal develop- ment	:	Remarks: Not considered to be ter	atogenic.
STOT - single exposure			
Product:			
Remarks	:	No data available	
STOT - repeated exposure			
Product:			
Remarks	:	No data available	
Aspiration toxicity			
Product: May be fatal if swallowed and	l ent	ers airways.	
Further information			
Product:			
Remarks	:	Prolonged or repeated contact can irritation, cracking and/or dermatitis	

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available

SUNSPRAY 6N

000003010059



003010039			
sion 2.3		Revision Date 2023/03/29	Print Date 2023/03/29
Toxicity to microorganisms	:	Remarks: No data available	
Components:			
Distillates (petroleum), solve	ənt	dewaxed light paraffinic; Baseoi	I — unspecified :
Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 10 Exposure time: 48 h	00 mg/l
Toxicity to algae/aquatic plants	:	EC50 (algae): > 100 mg/l Exposure time: 72 h	
Persistence and degradabili	ty		
Product:			
Biodegradability	:	Result: Inherently biodegradable.	
Bioaccumulative potential			
No data available			
Mobility in soil			
No data available			
Other adverse effects			
Product:			
Additional ecological infor- mation	:	This product has no known ecotor Consult product label for additiona	
maion			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	courses or the soil. Offer surplus and non posal company. Waste must be classif disposal. Send to a licensed wa Dispose of product res	ot be allowed to enter drains, water -recyclable solutions to a licensed dis- ried and labelled prior to recycling or uste management company. sidue in accordance with the instructions ible for waste disposal.
e emanuale a paonaging		

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

SUNSPRAY 6N

000003010059

Version 2.3

Revision Date 2023/03/29

Print Date 2023/03/29

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ. .

. . .

SARA 311/312 Hazards	:	Aspiration hazard Hazard not otherwise classified (health Defatting irritant	hazards)	
SARA 313	:	This material does not contain any che known CAS numbers that exceed the t reporting levels established by SARA 1	hreshold (De Minimis)	
Clean Water Act				
Not applicable				
US State Regulations				
Massachusetts Right To Kn	ow			
Distillates (petroleu Baseoil — unspecif		solvent-dewaxed light paraffinic;	64742-56-9	
Pennsylvania Right To Know				
Distillates (petroleu Baseoil — unspecif		solvent-dewaxed light paraffinic;	64742-56-9	
New Jersey Right To Know				
Distillates (petroleum), solvent-dewaxed light paraffinic; 64742-56-9 Baseoil — unspecified				
New York City Hazardous S	ubs	stances		
Distillates (petroleu Baseoil — unspecif		solvent-dewaxed light paraffinic;	64742-56-9	
California Prop. 65		This product does not contain any che of California to cause cancer, birth defe productive harm. For more information www.P65Warnings.ca.gov.	ects, or any other re-	
The components of this product are reported in the following inventories:				
TSCA	:	All chemical substances in this product TSCA Inventory or are in compliance v exemption.		
AIIC	:	On the inventory, or in compliance with	n the inventory	
DSL	:	On the inventory, or in compliance with	the inventory	

HOLLYFRONTIER SPECIALTY PRODUCTS AN HF SINCLAIR BRAND

SUNSPRAY 6N

000003010059



000003010039			
Version 2.3		Revision Date 2023/03/29	Print Date 2023/03/29
ENCS	:	On the inventory, or in compliance	e with the inventory
KECI	:	On the inventory, or in compliance	e with the inventory
PICCS	:	On the inventory, or in compliance	e with the inventory
IECSC	:	On the inventory, or in compliance	e with the inventory
NZIoC	:	On the inventory, or in compliance	e with the inventory
EINECS	:	On the inventory, or in compliance	e with the inventory
TCSI	:	On the inventory, or in compliance	e with the inventory
	:	Labeling requirements under FI This chemical is a pesticide product States Environmental Protection A certain labeling requirements under These requirements differ from the hazard information required for sa for workplace labels of non-pestici information required on the pestici low. The pesticide label also inclue mation, including directions for use CAUTION Keep out of reach of children Harmful if absorbed through skin, Avoid contact with eyes, skin or cl Avoid breathing spray mist. Remove and wash contaminated of Wash thoroughly with soap and w fore eating, drinking, chewing gun toilet. Prolonged or frequently repeated	act registered by the United Agency and is subject to er federal pesticide law. e classification criteria and afety data sheets (SDS), and ide chemicals. The hazard ide label is reproduced be- des other important infor- e. swallowed or inhaled. othing. clothing before use. rater after handling and be- n, using tobacco or using the skin contact may cause
		allergic reactions in some individu Contains Petroleum Distillates: Vo pneumonia. Aspiration may occur and results in serious and sometir This product is toxic to aquatic inv	omiting may cause aspiration after swallowing or vomiting nes delayed lung injury.

SECTION 16. OTHER INFORMATION

Further information


SUNSPRAY 6N

000003010059


HOLLYFRONTIER SPECIALTY PRODUCTS AN HF SINCLAIR BRAND

Version 2.3

Revision Date 2023/03/29



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH NIOSH REL		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New

SUNSPRAY 6N

000003010059

Version 2.3

Revision Date 2023/03/29

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Prepared by	:	Product Safety
Revision Date Date format	-	2023/03/29 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN



Print Date 2023/03/29